



Do you work with high-pressure air or nitrogen? Then the ALUP bstAIR 40 is your flexible, reliable booster solution. Just connect it to your compressed air system for a powerful 25- or 40-bar performance with a low Total Cost of Ownership. Two versions and a range of additional equipment and accessories are available to ensure your bstAIR 40 meets your individual requirements.



### THE BENEFITS OF A BOOSTER

Why work with a compressor and a booster to generate high-pressure air or nitrogen? Because it is your most flexible and cost-efficient solution. All-in-one high-pressure compressors typically use more energy. In addition, you cannot use them for your standard compressed air applications. In a compressor + booster system, you can use your compressor for other purposes as well.

#### **OUTSTANDING PERFORMANCE**

- More air with lower energy consumption.
- Designed for continuous operation.
- Can be used for air and nitrogen applications.

#### PREMIUM RELIABILITY

- In-house designed booster pump.
- High-quality components.
- Built to perform in extreme conditions.
- Long service intervals.
- Low maintenance costs.

#### A COMPLETE SOLUTION

- your quality air demands and with the Airlogic<sup>2</sup>T controller for advanced control, monitoring and connectivity.



### A FLEXIBLE OFFER



### **STANDARD** | Strong performance

In-house designed booster pump delivers more air with lower energy consumption

100% duty cycle

Suitable for air and nitrogen applications

25-bar and 40-bar model for the best performance

Long service intervals and easy maintenance procedures reduce Total Cost of Ownership



### **FULL FEATURE** | Quality air & connectivity

In-house designed booster pump delivers more air with lower energy consumption

100% duty cycle

Suitable for air and nitrogen applications

25-bar and 40-bar model for the best performance

Long service intervals and easy maintenance procedures reduce Total Cost of Ownership

- **◆** Full size, high-pressure aftercooler
- **◆** Pressure and temperature sensors
- ♣ Advanced Airlogic<sup>2</sup>T controller
- **+** ICONS connectivity
- + Multiple compressor control (option)

2 | BSTAIR 40 AIR & NITROGEN BOOSTERS BSTAIR 40 AIR & NITROGEN BOOSTERS | 3



# **NEXT-GENERATION BOOSTER ENGINEERING**



### LOW TOTAL COST OF OWNERSHIP

- Best match for any application with a wide power range and two pressure variants.
- Full-size, high-pressure aftercooler reduces outlet temperature (FF).
- Integrated ICONS connectivity provides unique data insights and helps minimize operational costs (FF).
- Service parts are strategically placed to allow for quick and easy maintenance. Long maintenance intervals further reduce Total Cost of Ownership.





- In-house designed and manufactured booster pump ensures high Free Air Delivery at a lower Specific Energy Requirement.
- Superior productivity thanks to continuous operation (100% duty cycle).
- New reed valves are customized for every model in the range for better performance with lower power consumption.





#### **SUPERIOR RELIABILITY**

- Lubrication system with oil channels in the crankshaft provides excellent lubrication of all critical areas.
- Oil-level switch protects the pump and stops the machine in case the oil level drops below its minimum level.
- Integrated inlet particle filter reduces the risk of machine damage.
- Airlogic<sup>2</sup>T controller offers automatic monitoring of inlet and discharge pressure and temperature, precise regulation, and full insight into operational conditions (FF).



### COMPLETE CONTROL

The bstAIR 40 FF comes with the state-of-the-art Airlogic<sup>2</sup>T touchscreen controller, giving you on-screen and remote insight into the performance of your booster:


- ightarrow Large 4.3" Full-color Touchscreen Display
- → 30+ LANGUAGES
- → WARNING INDICATIONS AND SHUTDOWN ALARMS
- ightarrow SERVICE STATUS AND SCHEDULE INDICATION
- ightarrow Online visualization of running conditions
- → COMPRESSOR DATA ANALYSIS





### **ENHANCE YOUR AIR SYSTEM** PERFORMANCE WITH THE ECO6i Are you operating multiple boosters? The bstAIR 40 can be optionally equipped

with the **ECO6**i controller functionality to synchronize your different units. The result: a smooth running air system with a low Total Cost of Ownership.



- Generate energy savings by narrowing the operating pressure band.
- Save on maintenance costs and equalize the running hours of your boosters.
- Monitor and control all boosters from one single touchscreen display.
- Optimize your boosters' performance by operating different control schemes.

## ICONS



With the Intelligent CONnectivity System (ICONS), you get data and insights from your machines delivered to your computer, tablet or smartphone.

- Increase the reliability of your machine by identifying problems before they become a threat to the continuity of your production.
- Analyze and optimize your energy consumption and CO<sub>2</sub> emissions.
- Receive high-quality energy reports ensuring the ISO50001 compliance of your site.









BSTAIR 40 AIR & NITROGEN BOOSTERS | 5

4 | BSTAIR 40 AIR & NITROGEN BOOSTERS







### CUSTOMIZE YOUR BSTAIR 40

Additional equipment and accessories are available to tailor your bstAIR 40 to your specific needs:

- ightarrow Tanks 40 Bar
- ightarrow HIGH-PRESSURE LINE FILTERS
- ightarrow High-pressure condensate drains
- ightarrow ECO61 LICENSE







### SERVICE KITS

Keep your bstAIR 40 running smoothly with our handy Service Kits. The kits come with a quality guarantee and contain all the original parts you need to optimally service your booster. This will ensure continued reliable performance and a long lifetime for your bstAIR 40.

## TECHNICAL SPECIFICATIONS







Model	Power		Max. inlet pressure		Max. discharge pressure		Free Air Delivery		Mass ST	Mass FF
	HP	kW	bar	psi	bar	psi	l/s	CFM	kg	kg
BSTAIR 10-40	10	7.5	10	145	40	580	34.7	73.5	310	340
BSTAIR 10-25			5	72	25	362	25.6	54.2		
BSTAIR 15-40	15	11	10	145	40	580	48.5	102.8	350	380
BSTAIR 15-25			5	72	25	362	37.0	78.5		
BSTAIR 20-40	20	15	10	145	40	580	63.8	135.3	360	430
BSTAIR 20-25			5	72	25	362	48.8	103.5		
BSTAIR 25-40	25	18.5	10	145	40	580	77.5	164.2	390	460
BSTAIR 25-25			5	72	25	362	65.1	137.8		
BSTAIR 30-40	30	22	10	145	40	580	94.2	199.6	430	500
BSTAIR 30-25			5	72	25	362	77.5	164.2		
BSTAIR 40-40	40	30	10	145	40	580	124.8	264.6	480	550
BSTAIR 40-25			5	72	25	362	102.8	217.8		

### **DIMENSIONS**

	Length	Width	Height
	mm	mm	mm
Standard (ST)	1533	740	1044
Full Feature (FF)	1533	751	1044

### PERFORMANCE







### Contact your local ALUP Kompressoren representative



#### Care

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

#### **Trust**

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

### **Efficiency**

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.



